CONTENTS OF VOLUME 40

Adams, J. B. Aphid survival at low temperatures, 951.
Ali, M. A. Influence of light intensity on retinal adaptation in Atlantic salmon (*Salmo salar*) yearlings, 561.
Alicata, J. E. *Angiostrongylus cantonensis* (Nematoda: Metastrongylidae) as a causative agent of eosinophilic meningoencephalitis of man in Hawaii and Tahiti, 5.
Alicata, J. E. and **Brown, R. W.** Preliminary observations on the use of an intradermal test for the diagnosis of eosinophilic meningoencephalitis in man caused by *Angiostrongylus cantonensis*, 119.
Observations on the method of human infection with *Angiostrongylus cantonensis* in Tahiti, 755.
Anderson, R. C. The systematics and transmission of new and previously described Metastrongyles (Nematoda: Metastrongylidae) from *Mustela vision*, 893.
On the development, morphology, and experimental transmission of *Diplotriaena bargusinica* (Filariodea: Diplotriaenidae), 1175.
Ayre, G. L. *Pseudometagea schwarzii* (Ashm.) (Eucharitidae: Hymenoptera), a parasite of *Lasius neoniger* Emery (Formicidae: Hymenoptera), 157.
Barlow, C. A. The influence of temperature on the growth of experimental populations of *Myzus persicae* (Sulzer) and *Macrosiphum euphorbiae* (Thomas) (Aphididae), 145.
Basrur, P. K. The salivary gland chromosomes of seven species of *Prosimulium* (Diptera: Simuliidae) from Alaska and British Columbia, 1019.
Bennett, G. F. The hematocrit centrifuge for laboratory diagnosis of hematozoa, 124.
On the biology of *Cephenemyia phobifera* (Diptera: Oestridae), the pharyngeal bot of the white-tailed deer, *Odocoileus virginianus*, 1195.
See also Fallis, A. M., 395.
Bennett, G. F. and **Sabrosky, C. W.** The nearctic species of the genus *Cephenemyia* (Diptera, Oestridae), 431.
Berkeley, C. See Berkeley, E., 571.
Berkeley, E. and **Berkeley, C.** Polychaeta from British Columbia; with a note on some western Canadian arctic forms, 571.
Berrill, M. The biology of three New England Stauromedusae, with a description of a new species, 1249.
Bhatnagar, R. D. S. and **Rempel, J. G.** The structure, function, and postembryonic development of the male and female copulatory organs of the black widow spider *Latrodectus curacaviensis* (Müller), 465.
Bourbeau, C. See Corrivault, G. W., 31.
Boyes, J. W. and **Naylor, A. F.** Somatic chromosomes of higher Diptera. VI. Allosome–autosome length relations in *Musca domestica* L., 777.
Bracken, G. K., Hanec, Wm., and **Thorsteinson, A. J.** The orientation of horse flies and deer flies (Tabanidae: Diptera). II. The role of some visual factors in the attractiveness of decay silhouettes, 685.
Bronskill, J. F. Encapsulation of rhabditoid nematodes in mosquitoes, 1269.
See also Welch, H. E., 1263.
Brown, R. W. See Alicata, J. E., 119, 755.
Butler, L. Periodicities in the annual muskrat population figures for the Province of Saskatchewan, 1277.
Chaudhary, K. D. and **Lemonde, A.** Phosphorus in the nutrition of *Tribolium confusum* Duval, 375.
Ching, H. L. Six larval trematodes from the snail, *Littorina scutulata* Gould of San Juan Island, U.S.A., and Vancouver, B.C., 675.
Choquette, L. P. E., Macpherson, A. H., and **Cousineau, J. G.** Note on the occurrence of *Echinococcus multilocularis* Leuckart, 1863 in the Arctic fox in Canada, 1167.
Chouinard, L. A. Histochemical characteristics of the PAS-positive inclusions in the Purkinje cell of the cerebellar cortex in the adult cat, 871.
Cornwall, I. E. The identification of barnacles, with further figures and notes, 621.
Corrivault, G. W., Huot, L., and **Bourbeau, G.** Les substances neuroleptiques et le comportement des insectes. II. Influence et toxicité de quelques amines dérivées de la phénothiazine sur la ponte, l'éclosion et la vie adulte de *Tribolium confusum* Duval (Coleoptere: Tenebrionidae), 31.
Cousineau, J. G. See Choquette, L. P. E., 1167.
Cowan, I. McT. See Krebs, C. J., 863; Wood, A. J., 593.
Das, V. M. Studies on the morphology of female *Eudorylaimus obscurus* (Thorne and Swanger, 1936) Andrássy, 1959, 747.

Downe, A. E. R. Some aspects of host selection by *Mansonia perturbans* (Walk.) (Diptera: Culicidae), 725.

Serology of insect proteins. I. Preliminary studies on the proteins of insect cuticle, 957.

DuPorte, E. M. The anterior tentorial arms in insects and their significance in interpreting the morphology of the cranium of the cicadas, 137.

Origin of the gula in insects, 381.

The morphology of the insect mandible, 1229.

Duyvené de Wit, J. J. Hybridization experiments in Acheilognathine fishes (Cyprinidae, Teleostei). The hybrids between female *Acheilognathus lanceolatus* and *Rhodeusamarus* and male *Acheilognathus himantegus*, 255.

Hybridization experiments in Acheilognathine fishes (Cyprinidae, Teleostei). The interspecific hybrids between *Acheilognathus lanceolatus* and *Acheilognathus tabira*, 421.

Hybridization experiments in Acheilognathine fishes (Cyprinidae, Teleostei). Fertile intrageneric hybrids between female *Acheilognathus lanceolatus* and male *Acheilognathus limbatus* from Japan, 425.

See also Honma, Y., 1013.

Edwards, D. K. Laboratory determinations of the daily flight times of separate sexes of some moths in naturally changing light, 511.

Electrostatic charges on insects due to contact with different substrates, 579.

Engelbert, V. E. and **McMillan, D. B.** Morphology of blast cell nuclei in vivo and in vitro, 83.

Evans, R. M., Purdie, F. C., and **Hickman, C. P., Jr.** The effect of temperature and photoperiod on the respiratory metabolism of rainbow trout (*Salmo gairdneri*), 107.

Ewen, A. B. The cephalic nervous system of *Adelphocoris lineolatus* (Goeze) (Hemiptera: Miridae), 1187.

Fallis, A. M. and **Bennett, G. F.** Observations on the sporogony of *Leucocytozoon mirandae*, *L. bonasae*, and *L. fringillinarum* (Sporozoa: Leucocytozoidae), 395.

Farley, J. The effect of temperature and pH on the longevity of *Schistosomatium douthitti* miracidia, 615.

Schistosomatium douthitti (Cort, 1914) Price, 1931 in Manitoba, 131.

Fay, F. H. and **Williamson, F. S. L.** Studies on the helminth fauna of Alaska. XXXIX. *Echinococcus multilocularis* Leuckart, 1863, and other helminths of foxes on the Pribilof Islands, 767.

Freeman, R. S. Studies on the biology of *Taenia crassiceps* (Zeder, 1800) Rudolphi, 1810 (Cestoda), 969.

Hanec, Wm. See Bracken, G. K., 685.

Hanyu, I. Intraocular vascularization in some fishes, 87.

Harpur, R. P. Maintenance of *Ascaris lumbricoides* in vitro: a biochemical and statistical approach, 991.

Haufe, W. O. Response of *Aedes aegypti* (L.) to graded light stimuli, 53.

Hayes, F. R. See Hochachka, P. W., 261.

Henderson, N. E. The annual cycle in the testis of the eastern brook trout, *Salvelinus fontinalis* (Mitchill), 631.

Henshall, T. C. See Sweatman, G. K., 1287.

Hickman, C. P., Jr. See Evans, R. M., 107; Meisner, H. M., 127.

Hoar, W. S. See Mahon, E. F., 449.

Hochachka, P. W. and **Hayes, F. R.** The effect of temperature acclimation on pathways of glucose metabolism in the trout, 261.

Honma, Y. and **Duyvené de Wit, J. J.** Unusual ovipositor development in a female hybrid between female *Acheilognathus tabira* and male *Acheilognathus limbata* (Cyprinidae, Teleostei), 1013.

Hopper, B. E. Free-living marine nematodes of Rhode Island waters, 41.

Houston, A. H. Some observations on water balance in the goldfish *Carassius auratus* L., during cold death, 1169.

Huot, L. See Corrivault, G. W., 31.

Isa, J. M. See Savage, A., 1314.

Kinne, E. M. See Kinne, O., 231.

Kinne, O. and **Kinne, E. M.** Rates of development in embryos of a cyprinodont fish exposed to different temperature–salinity–oxygen combinations, 231.

Kleerekoper, H. See Pasztor, V. M., 785.

Krebs, C. J. and **Cowan, I. McT.** Growth studies of reindeer fawns, 863.

Kuntz, R. E. See Myers, B. J., 135, 531.

Landau, R. Four forms of *Simulium tuberosum* (Lundstr.) in Southern Ontario: a salivary gland chromosome study, 921.

Lemonde, A. See Chaudhary, K. D., 375.
Lindsey, C. C. Experimental study of meristic variation in a population of threespine sticklebacks, *Gasterosteus aculeatus*, 271.
Observations on meristic variation in ninespine sticklebacks, *Pungitius pungitius*, reared at different temperatures, 1237.
Lubinsky, G. On the environmental plasticity of the number of rostellar hooks in larval *Echinococcus multilocularis*, 607.
McCallion, D. J. See Pasternak, L., 585.
McDonald, S. Rapid detection of chlorinated hydrocarbon insecticides in aqueous suspension with *Gammarus lacustris lacustris* (Sars.), 719.
McFarlane, J. E. The cuticles of the egg of the house cricket, 13.
The embryonic cuticle of the house cricket, its scales, and their relation to the scales of other cuticles, 23.
The action of pepsin and trypsin on the egg shell of *Acheta domesticus* (L.) (Orthoptera:Gryllidae), 553.
A comparison of the growth of the house cricket (Orthoptera:Gryllidae) reared singly and in groups, 559.
See also Ritchot, C., 371.
McLean, D. M. See Scholten, T. H., 605.
McMillan, D. B. See Engelbert, V. E., 83.
Macpherson, A. H. See Choquette, L. P. E., 1167.
Magnuson, J. J. An analysis of aggressive behavior, growth, and competition for food and space in medaka (*Oryzias latipes* (Pisces, Cyprinodontidae)), 313.
Mahon, E. F., Hoar, W. S., and **Sachiko, T.** Histophysiological studies of the adrenal tissues of the goldfish, 449.
Margolis, L. *Lampritrema nipponicum* Yamaguti (Trematoda) from new hosts in the North Pacific Ocean, the relationship of *Distomum miescheri* Zschokke, and the status of the family Lampritrematidae, 941.
Meisner, H. M. The effect of propylthiouracil on the oxygen consumption and iodine metabolism of the frog, *Rana pipiens*, in winter, 643.
Meisner, H. M. and **Hickman, C. P., Jr.** Effect of temperature and photoperiod on the serum proteins of the rainbow trout, *Salmo gairdneri*, 127.
Mulvey, R. H. The Mononchidae: a family of predaceous nematodes. III. Genus *Miconchus* (Enoplida: Mononchidae), 65.
Myers, B. J. and **Kuntz, R. E.** Nematode parasites from vertebrates taken on Lan Yü, Formosa. II. Nematodes from fish, amphibians, reptiles, birds, 135.
Myers, B. J., Kuntz, R. E., and **Wells, W. H.** Helminth parasites of reptiles, birds, and mammals in Egypt. VII. Check list of nematodes collected from 1948 to 1955, 531.
Naylor, A. F. See Boyes, J. W., 777.
Newton, J. R. See Proverbs, M. D., 401.
Niazi, I. A. Development and growth of the caudal tissues in ammocoetes, 803.
Nogrady, T. F. On the rotifera and limnology of an Hungarian bog pond, 677.
Nordan, H. C. See Wood, A. J., 593.
Pasternak, L. and **McCallion, D. J.** Heterogeneous inductions in the chick embryo, 585.
Pasztor, V. M. and **Kleerekoper, H.** The role of the gill filament musculature in teleosts, 785.
Pielou, D. P. The ineffectiveness of Sevin in increasing oviposition in the spider mite, *Tetranychus telarius* (L.), 9.
Note on an escape-proof method for rearing and handling *Drosophila melanogaster* Meig., 365.
Proverbs, M. D. and **Newton, J. R.** Influence of gamma radiation on the development and fertility of the codling moth, *Carpocapsa pomonella* (L.) (Lepidoptera:Olethreutidae), 401.
Purdie, F. C. See Evans, R. M., 107.
Rakshpal, R. Diapause in the eggs of *Gryllus pennsylvanicus* Burmeister (Orthoptera: Gryllidae), 179.
Rempel, J. G. See Bhatnagar, R. D. S., 465; Wensler, R. J. D., 199.
Ritchot, C. and **McFarlane, J. E.** The effects of wheat germ oil and linoleic acid on growth and reproduction of the house cricket, 371.
Rivard, I. Influence of humidity on the predaceous mite *Melichares dentriticus* (Berlese) (Acarina:Aceosejidae), 761.
Some effects of prey density on survival, speed of development, and fecundity of the predaceous mite *Melichares dentriticus* (Berl.) (Acarina:Aceosejidae), 1233.

Ronald, K. The effects of physical stimuli on the larvae of *Terranova decipiens*. II. Relative humidity, pressure, and gases, 1223.
See also Scholten, T. H., 605.
Sabrosky, C. W. See Bennett, G. F., 431.
Sachiko, T. See Mahon, E. F., 449.
Sale, P. F. A note on the lethal temperature of the aurora trout, *Salvelinus timagamiensis*, 367.
Saunders, R. L. The irrigation of the gills in fishes. II. Efficiency of oxygen uptake in relation to respiratory flow activity and concentrations of oxygen and carbon dioxide, 817.
Savage, A. and **Isa, J. M.** An unusual blood condition in a trumpeter swan, 1314.
Schad, G. A. Helminth parasitism in a flock of domestic geese introduced to Arctic summer conditions in Canada, 1.
Studies on the genus *Kalicephalus* (Nematoda: Diaphanocephalidae). II. A taxonomic revision of the genus *Kalicephalus* Molin, 1861, 1035.
Scholten, T. H., Ronald, K., and **McLean, D. M.** Parasite fauna of the Manitoulin Island region. I. *Arthropoda parasitica*, 605.
Southward, E. C. A new species of *Galathealinum* (Pogonophora) from the Canadian Arctic, 385.
Stanley, J. The triboliotrap, 1313.
Swan, E. F. Evidence suggesting the existence of two species of *Strongylocentrotus* (Echinoidea) in the northwest Atlantic, 1211.
Sweatman, G. K. and **Henshall, T. C.** The comparative biology and morphology of *Taenia ovis* and *Taenia krabbei*, with observations on the development of *T. ovis* in domestic sheep, 1287.
Thorsteinson, A. J. See Bracken, G. K., 685.
Timm, R. W. Marine nematodes of the family Linhomoeidae from the Arabian Sea at Karachi, 165.
Wade, C. V. An improved way of exposing the stylets of aphids to ultraviolet radiation, 673.
Welch, H. E. and **Bronskill, J. F.** Parasitism of mosquito larvae by the nematode, DD136 (Nematoda: Neoaplectanidae), 1263.
Wells, W. H. See Myers, B. J., 531.
Wensler, R. J. D. and **Rempel, J. G.** The morphology of the male and female reproductive systems of the midge, *Chironomus plumosus* L., 199.
West, A. S. See Whittaker, J. R., 655.
Whittaker, J. R. and **West, A. S.** A starch gel electrophoretic study of insect hemolymph proteins, 655.
Wiggins, G. B. A new subfamily of phryganeid caddisflies from western North America (Trichoptera: Phryganeidae), 879.
Williamson, F. S. L. See Fay, F. H., 767.
Wood, A. J., Cowan, I. McT., and **Nordan, H. C.** Periodicity of growth in ungulates as shown by deer of the genus *Odocoileus*, 593.
Wright, A. I. *Echinococcus granulosus* from English dogs, 195.
Wu, L.-Y. *Paratylenchus brevihastus* n. sp. (Criconematidae: Nematoda), 391
Paratylenchus veruculatus n. sp. (Criconematidae: Nematoda) from Scotland, 773.
Zacharuk, R. Y. Distribution, habits, and development of *Ctenicera destructor* (Brown) in Western Canada, with notes on the related species *C. aeripennis* (Kby.) (Coleoptera: Elateridae), 539.
Seasonal behavior of larvae of *Ctenicera* spp. and other wireworms (Coleoptera: Elateridae), in relation to temperature, moisture, food, and gravity, 697.
Some histochemical characteristics of tissues in larvae of *Ctenicera destructor* (Brown) (Coleoptera, Elateridae), with special reference to cutaneous sensilla, 733.